

# INDEX MAPS.

**T. 30 N. R. 7 W. 2<sup>nd</sup> Mer.**

|     | 269 | 269 | 268 | 268 | 268 | 267 |     |     |     |     |     |     |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 272 | 6   | 295 | 5   | 290 | 4   | 285 | 3   | 281 | 2   | 276 | 1   | 267 |
|     | 298 |     | 297 |     | 290 |     | 285 |     | 280 |     | 276 |     |
| 271 | 7   | 297 | 8   | 289 | 9   | 285 | 10  | 280 | 11  | 275 | 12  | 267 |
|     | 297 |     | 296 |     | 289 |     | 284 |     | 280 |     | 275 |     |
| 271 | 18  | 295 | 17  | 288 | 16  | 284 | 15  | 279 | 14  | 275 | 13  | 266 |
|     | 295 |     | 295 |     | 288 |     | 284 |     | 279 |     | 274 |     |
| 270 | 19  | 294 | 20  | 287 | 21  | 285 | 22  | 278 | 23  | 274 | 24  | 266 |
|     | 293 |     | 293 |     | 287 |     | 283 |     | 278 |     | 273 |     |
| 270 | 30  | 292 | 29  | 287 | 28  | 282 | 27  | 278 | 26  | 273 | 25  | 265 |
|     | 292 |     | 291 |     | 286 |     | 282 |     | 277 |     | 272 |     |
| 269 | 31  | 291 | 32  | 286 | 33  | 281 | 34  | 277 | 35  | 272 | 36  | 265 |
|     | 264 |     | 264 |     | 263 |     | 263 |     | 263 |     | 263 |     |

**T. 31 N. R. 7 W. 2<sup>nd</sup> Mer.**

|     | 308 | 307 | 307 | 307 | 306 | 306 |     |     |     |     |     |     |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 310 | 6   | 319 | 5   | 324 | 4   | 321 | 3   | 317 | 2   | 314 | 1   | 305 |
|     | 329 |     | 328 |     | 324 |     | 320 |     | 317 |     | 313 |     |
| 310 | 7   | 328 | 8   | 323 | 9   | 320 | 10  | 317 | 11  | 313 | 12  | 305 |
|     | 328 |     | 327 |     | 323 |     | 320 |     | 316 |     | 313 |     |
| 309 | 18  | 327 | 17  | 323 | 16  | 319 | 15  | 316 | 14  | 312 | 13  | 305 |
|     | 327 |     | 326 |     | 322 |     | 319 |     | 316 |     | 312 |     |
| 309 | 19  | 326 | 20  | 322 | 21  | 319 | 22  | 315 | 23  | 312 | 24  | 305 |
|     | 326 |     | 325 |     | 322 |     | 318 |     | 315 |     | 311 |     |
| 309 | 30  | 325 | 29  | 321 | 28  | 318 | 27  | 315 | 26  | 311 | 25  | 304 |
|     | 325 |     | 325 |     | 321 |     | 318 |     | 314 |     | 310 |     |
| 308 | 31  | 324 | 32  | 321 | 33  | 317 | 34  | 314 | 35  | 310 | 36  | 304 |
|     | 303 |     | 303 |     | 303 |     | 302 |     | 302 |     | 302 |     |

(P) The figures on the lines refer to the page.

Township 31 North Range 4 West 2nd Mer. Ind. Co.

South Boundary

Var. 5° 41' E

- West On South Side Sec. 36  
 40.00 Set gr. Sec. post in Marsh from which  
 an Aspin 14 in. diam. bears N. 88° W. 531 lks. dist.  
 No other trees  
 49.99 To an Aspin 13 in. diam.  
 80.00 Set post Cor. to Sec. 35 & 36 from which  
 a W. Oak 12 in. diam. bears N. 80 3/4° E. 187 lks. dist.  
 & a W. Oak 15 " " " N. 61 1/2° W. 563 " "  
 This mile all Marsh. Some parts water on post  
 deep and in some parts no water,

- West On South Side Sec. 35  
 9.50 Leave Marsh  
 12.56 Enter Do. again  
 40.00 Set gr. Sec. post in water from which  
 a W. Oak 12 in. diam. bears N. 44 1/2° E. 762 lks. dist.  
 & an Aspin 5 " " " N. 5° W. 417 " "  
 67.00 Leave Marsh  
 69.79 To a W. Oak 14 in. diam.  
 80.00 Set post Cor. to Sec. 34 & 35 from which  
 a W. Oak 15 in. diam. bears N. 70 1/2° E. 50 lks. dist.  
 & a Do 11 " " " N. 50° W. 25 1/2 " "  
 Marsh similar. Dry land gently rolling poor sand  
 Barrens,

- West On South Side Sec. 34  
 8.40 To a W. Oak 14 in. diam.  
 22.50 Enter Marsh  
 40.00 Set gr. Sec. post from which  
 a W. Oak 8 in. diam. bears N. 81 1/2° E. 623 lks. dist.  
 & a Do 7 " " " N. 38 1/2° E. 317 " "  
 57.00 Leave Marsh on Small Isle,  
 62.50 Enter Marsh again  
 80.00 Set post Cor. to Sec. 33 & 34 from which

# Y. 31 N. - R. 7 W. 2nd Mer. Indiana

o Y. Oak 15 in. diam, bears N. 33 W. 5 19 Mo. dist.  
 & o Do 14 " " " S. 81 1/2 W. 447 " "  
 Land &c. Similar

West On South Side Sec. 33  
 40.00 Set 2d Sec. post from which  
 o Y. Oak 14 in. diam, bears N. 7 2/3 E. 780 Mo. dist.  
 & o Do 16 " " " N. 46 3/4 W. 690 " "  
 80.00 Set post cor. to Secs 32 & 33, no bearing, trees water  
 & sea too deep for a mound this mile all marsh

West On South Side Sec. 32  
 40.00 Set 9th Sec. post from which  
 o P. Oak 5 in. diam, bears S. 63 E. 231 Mo. dist.  
 & o Y. Oak 19 " " " S. 67 E. 253 " "  
 57.00 Leave Marsh  
 60.75 Go o Y. Oak 12 in. diam,  
 80.00 Set post cor. to Secs 31 & 32 from which  
 o Y. Oak 13 in. diam, bears N. 33 1/4 E. 165 Mo. dist.  
 & o Do 16 " " " N. 8 W. 179 " "  
 West of Marsh rolling poor barrens, thinly timbered  
 with P. & Y. Oak,

West On South Side Sec. 31  
 250 Enter Marsh  
 30.50 Leave Do  
 40.00 Set 9th Sec. post from which  
 o Y. Oak 14 in. diam, bears N. 46 1/4 E. 245 Mo. dist.  
 & o Do 17 " " " N. 21 E. 262 " "  
 55.00 Enter marsh or wet prairie no water  
 80.00 Set post cor. to Secs 30 & 31 N. R. 7 & 8 W. from which  
 o Y. Oak 13 in. diam, bears N. 21 1/2 E. 345 Mo. dist.  
 & o Do 10 " " " N. 25 1/4 W. 512 " "  
 Land &c. Similar  
 Surveyed in January 27, 1834 by (very cold)  
 Robert Clark Esq. Dep. Sur,

G. 31 N. — R. 4 W. 2<sup>nd</sup> Mer. Indiana

East Boundary — (Cor. 5478)

North On East Side Sec. 36

31.00 Leave Marsh

36.41 To a double W. oak 12 in. diam,

36.50 Enter Marsh

40.00 Set gr. Sec. post from which

    a Y. Oak 13 in. diam, bears N. 9 $\frac{3}{4}$  W. 394 Mo. dist.

    & a W. Oak, Doubly, 12 " " " South 356 " "

57.56 Leave Marsh

75.56 Enter Do again

80.00 Set post cor. to Sec. 25 & 36 from which

    a W. Oak 14 in. diam, bears N. 5 $\frac{1}{2}$  W. 565 Mo. dist.

    & a Do 12 " " " N. 24 $\frac{1}{4}$  W. 508 " "

Dry land, Islands in Marsh, generally rolling, thickly  
timbered with W. Y. Pine & Red Oak, very poor sandy  
soil, W. Y. Saw Oak Whittetony bushes & winter  
green. Marsh a dead level, cold soil, without  
any visible outlet, mostly covered with a thin  
coat of grass. a great part of it in wet seasons covered  
from 6 to 2 $\frac{1}{2}$  feet water & in very dry seasons entirely  
dry

North On East Side Sec. 25

6.50 Leave Marsh

8.77 To a Y. Oak 10 in. diam,

12.37 To a Y. Oak 10 " Do

18.00 Enter Marsh

36.00 Leave Do,

40.00 gr Sec. cor. a Y Oak 8 in. diam. cor,

41.25 Enter Marsh

49.80 To a W. Oak 12 in. diam, on a small point

80.00 Set post cor. to Sec. 24 & 25 in Marsh from which

    a W. Oak 16 in. diam, bears N. 65 $\frac{1}{4}$  E. 398 Mo. dist.

    & a W. Oak 14 " " " N. 16 $\frac{3}{4}$  E. 337 " "

Land & c. similar



North on East Side Sec. 24  
 33.81 To a Red oak 14 in. diam, on a small elevation in marsh  
 40.00 Set gr. Sec. post from which  
     " Red oak 10 in. diam, bears N.  $1\frac{1}{3}$  W. 614 lks. dist.  
     No other,  
 80.00 Set post cor. to Secs. 13 & 24 from which  
     " Red oak 15 in. diam, bears N.  $55\frac{1}{2}$  E. 11.57 lks. dist.  
     & a Do 15 " " " N.  $3\frac{1}{2}$  E. 12.92 " "  
 Country similar, all marsh not very wet

North on East Side Sec. 13  
 40.00 Set gr. Sec. post from which  
     " Red oak 13 in. diam, bears N.  $24\frac{1}{2}$  W. 7.72 lks. dist.  
     & a Do 8 " " " N.  $9\frac{1}{2}$  W. 6.76 " "  
 46.00 Leave Marsh  
 64.50 Enter Do,  
 80.00 Set post cor. to Secs. 12 & 13 from which  
     " Red oak 24 in. diam, bears N. 7 W. 9.10 lks. dist.  
     & a W. Oak 16 " " " S.  $76\frac{1}{2}$  E. 2.69 " "  
 Land & c. similar

North on East Side Sec. 12  
 40.00 Set gr. Sec. post from which  
     " Red oak 15 in. diam, bears S.  $3\frac{5}{6}$  E. 3.76 lks. dist.  
     No other,  
 50.00 Leave Marsh on a low brush Island  
 65.00 Enter Do again  
 80.00 Set post cor. to Secs. 1 & 12 from which  
     " Y. Oak 14 in. diam, bears N.  $62\frac{1}{2}$  W. 6.00 lks. dist.  
     & a W. Oak 17 " " " N.  $53\frac{1}{2}$  W. 1.28 " "  
 Land & c. similar

North on East Side Sec. 1  
 10.50 Leave Marsh  
 14.88 To a Y. Oak 14 in. diam,  
 40.00 Set gr. Sec. post from which

Y. 31 N. — R. 4 W. 2<sup>nd</sup> Mer. Indiana

a Y. Oak 17 in. diam, bears N. 41 W. 26 Mo. dist.  
 & a Do 12 " " " S. 53 1/2 W. 17 " "  
 73.00 Enter Marsh a wet prairie no water  
 79.82 post cor. to T. 31 & 32 N. R. 6 & 7 W.  
 Land rolling, poor barrens, W. & Y. Oak  
 Surveyed January 29<sup>th</sup>, 1834 by  
 Robert Clark S. Dep. Sur.

North Boundary

West On South Side Sec. 36 T. 32 N. R. 7 W.  
 10.00 Low wet prairie  
 35.00 Enter wet prairie  
 40.00 Set gr. Sec. post from which  
 a Y. Oak 16 in. diam, bears N. 5 W. 295 Mo. dist.  
 & a Do 18 " " " S. 17 1/2 E. 142 " "  
 57.00 Low wet prairie  
 64.93 To a Y. Oak 13 in. diam,  
 77.56 Enter wet prairie  
 80.00 Set post cor. to Sec. 35 & 36 from which  
 a Y. Oak, 16 in. diam, bears N. 85 1/4 E. 458 Mo. dist.  
 & a Do 13 " " " S. 84 1/2 E. 292 " "  
 Dry land gently rolling, poor sandy soil, thick  
 timbered with W. Y & R. Oak, hick, scrub oak, white-  
 -bark & c. prairie dry most of the year cold  
 sandy soil

West On South Side Sec. 35 T. 32 N. R. 7 W.  
 15.00 Low wet prairie  
 35.78 To a Red oak 8 in. diam,  
 40.00 Set gr. Sec. post, from which  
 a Red oak 8 in. diam, bears East 42 1/2 Mo. dist.  
 & a Y. oak 8 " " " N. 54 1/2 W. 244 " "  
 62.50 Enter Marsh  
 80.00 Set post cor. to Sec. 34 & 35 from which  
 a Red oak 16 in. diam, bears N. 88 1/2 E. 177 1/2 Mo. dist.

a Mound might be raised if the ground was not frozen. Land &c, similar.

West on South Side Sec, 34 T. 32 N. R. 7 W.  
 36.50 Leave Marsh  
 40.00 Set gr. Sec. post from which  
     a Y. Oak 18 in. diam. bears N. 84 $\frac{1}{2}$  E. 51 Mo. dist.  
     L a Y. Oak 13 " " " N. 34 $\frac{1}{2}$  - 53 " "  
 45.00 Enter Wet prairie  
 50.00 Set post cor. to Sec, 33 & 34 from which  
     a Y. Oak 15 in. diam. bears N. 28 $\frac{3}{4}$  W. 36 Mo. dist.  
     L a Do 14 " " " N. 18 $\frac{1}{2}$  E. 841 " "  
     Land &c, similar, January 30

West on South Side Sec, 33 T. 32 N. R. 7 W.  
 13.00 Leave wet prairie  
 15.45 To a Y. Oak 16 in. diam.  
 17.39 To a Y. Oak 6 " Do  
 40.00 Set gr. Sec. post from which  
     a Y. Oak 8 in. diam. bears N. 87 E. 45 Mo. dist.  
     L a Do 17 " " " N. 29 W. 45 " "  
 53.82 To a Y. Oak 20 in. diam.  
 40.00 Enter wet prairie  
 50.00 Set post cor. to Sec, 32 & 33 from which  
     a Red Oak 16 in. diam. bears N. 58 $\frac{1}{2}$  E. 704 Mo. dist.  
     L a Y. Oak 14 " " " S. 33 E. 325 " "  
     Land &c, similar

West on South Side Sec, 32 T. 32 N. R. 7 W.  
 10.00 Leave wet prairie  
 12.33 To a Y. Oak 8 in. diam.  
 35.00 Enter wet prairie or Marsh  
 40.00 Set gr. Sec. post from which  
     a Red Oak 5 in. diam. bears N. 19 $\frac{1}{2}$  E. 122 Mo. dist.  
     L a Do 13 " " " N. 32 $\frac{3}{4}$  W. 343 " "  
 61.50 To a Y. Oak 15 " diam. on small Indian Mound

T. 31 N. — R. 4 W. 2<sup>nd</sup> Mer. Ind<sup>d</sup>

78.00 Lean Marsh

80.00 Set post cor. to Secs. 31 & 32 from which  
a Y. Oak 16 in. diam, bears N. 63 $\frac{1}{2}$  E. 120 lks. dist.  
2 a Do 18 " " " N. 68 $\frac{1}{2}$  W. 52 " "  
Land & c. Similar

West On South Side Sec. 31 T. 32 N. R. 4 W.  
27.97 To a Y. Oak 8 in. diam,  
40.00 Set gr. Sec. post from which  
a Y. Oak 15 in. diam, bears N. 46 $\frac{1}{2}$  E. 62 lks. dist.  
2 a Do 14 " " " N. 8 $\frac{1}{2}$  E. 58 " "  
62.50 Enter wet prairie  
80.00 Lean Do Do  
82.11 Intersect West Boundary 90 lks North of post  
When set post cor. to Secs. 31 & 32 N. R. 4 W. 2<sup>nd</sup> Mer.  
a Y. Oak 18 in. diam, bears S. 45 $\frac{1}{2}$  E. 76 lks. dist.  
2 a Do 16 " " " N. 12 W. 54 " "  
Land & c. Similar  
Surveyed January 31, 1834 by  
Robert Clark Jr. Dep. Sur.

### West Boundary

— (Cor. 5 $\frac{1}{4}$  E —  
North On East Side Sec. 36 T. 31 N. R. 8 W.  
4.00 Lean Marsh or wet prairie  
16.75 To a Y. Oak 12 in. diam,  
18.50 Enter Marsh  
45.00 Set gr. Sect post from which  
a Red Oak 24 in. diam, bears N. 54 $\frac{1}{2}$  E. 23 lks. dist.  
2 a Do 15 " " " N. 9 $\frac{3}{4}$  W. 282 " "  
43.00 Lean Marsh  
61.50 Enter Do  
80.00 Set post cor. to Secs. 25 & 36 from which  
a Red Oak 12 in. diam, bears S. 6 $\frac{1}{2}$  E. 1885 lks. dist.  
2 a Y. Oak 16 " " " N.  $\frac{1}{2}$  E. 781 " "  
Dry land, level poor sandy barrens largely Jun<sup>d</sup> Oak,

Y 31 N. — R 9 W 2<sup>nd</sup> Mer, Indiana

309

North On East Side Sec. 25 T. 31 N. R. 8 W.  
 40.00 Set gr. Sec. post from which  
     a W. Oak 12 in. diam, bears N. 75° W. 1130 Mo. dist.  
     + a P. Oak 12 " " " N. 40 6. 55.9 " "  
 60.00 Leave Marsh  
 68.00 Enter Do again  
 80.00 Set post cor. to Sec. 24 & 25 from which  
     a P. Oak 12 in. diam, bears N. 88½° W. 333 Mo. dist.  
     + a Do 13 " " " N. 85½° W. 298 " "  
 Land &c. similar,

North On East Side Sec. 24 T. 31 N. R. 8 W.  
 20.00 Leave Marsh  
 26.38 To a Pin Oak 10 in. diam,  
 26.00 Enter Marsh  
 40.00 Set gr. Sec. post from which  
     a Pin Oak 13 in. diam, bears N. 106° W. 378 Mo. dist.  
     + a Do 14 " " " N. 82½° W. 348 " "  
 80.00 Set post cor. to Sec. 13 & 24 from which  
     a P. Oak 11 in. diam, bears N. 42½° W. 514 Mo. dist.  
     + a W. Oak 12 " " " N. 73½° W. 220 " "  
 Similar to last, wet prairie, no water

North On East Side Sec. 13 T. 31 N. R. 8 W.  
 25.52 To a Pin Oak 12 in. diam, & leave wet prairie  
 35.00 Enter wet prairie  
 40.00 Set gr. Sec. post from which  
     a P. Oak 10 in. diam, bears N. 29° W. 606 Mo. dist.  
     + a Do 8 " " " N. 63° W. 377 " "  
 58.50 Leave wet prairie  
 68.77 To a W. Oak 13 in. diam,  
 80.00 Set post cor. to Sec. 12 & 13 from which  
     a Red Oak 14 in. diam, bears S. 66° W. 35 Mo. dist.  
     + a W. Oak 14 " " " N. 58° W. 58 " "  
 North of prairie rolling barrens,



T. 31 N. — R. 7 W. 2<sup>nd</sup> Mer. Indiana

|       |   |
|-------|---|
| North | On East Side Sec. 12 T. 31 N. R. 8 W.   |
| 1.07  | Intersect Indian Trail corner S. W.   |
| 12.06 | " W. Oak 12 in. diam,   |
| 17.67 | " Do 10 " Do  |
| 40.00 | Set gr. Sec. post from which<br>" W. Oak 17 in. diam, bears N. 25 $\frac{1}{4}$ W. 152 lks. dist.<br>+ a R. Oak 16 " " " S. 6 $\frac{1}{4}$ W. 148 " "                            |
| 42.00 | Enter Marsh   |
| 62.50 | Leave Do  |
| 67.00 | Enter Marsh   |
| 79.00 | Leave Do  |
| 80.00 | Set post cor. to Sec. 1 + 12 from which<br>" W. Oak 17 in. diam, bears S. 72 $\frac{1}{2}$ W. 34 lks. dist.<br>+ a Do 9 " " " N. 34 $\frac{1}{2}$ W. 146 " "<br>Land &c. similar, |

---

|       |   |
|-------|---|
| North | On East Side Sec. 1 T. 31 N. R. 8 W.  |
| 21.23 | " R. Oak 13 in. diam,   |
| 40.00 | Set gr. Sec. post from which<br>" W. Oak 18 in. diam, bears N. 66 $\frac{1}{2}$ W. 46 lks. dist.<br>+ a Do 16 " " " S. 75 $\frac{1}{2}$ W. 41 " " |
| 57.33 | " W. Oak 12 in. diam,   |
| 64.60 | " W. Oak 13 " Do  |
| 80.90 | post cor. to T. 31 + 32 N. R. 7 + 8 W.<br>Land &c. similar<br>Surveyed January 28 <sup>th</sup> 1834 by<br>Robert Clark Esq. Dep. Sur.            |

---

## Subdivisions

---

|       |   |
|-------|---|
|       | —— War, 5 <sup>th</sup> 47 ——   |
| North | Between Sections 35 + 36  |
| 10.99 | " W. Oak 11 in. diam,   |
| 40.00 | Set gr. Sec. post from which<br>" W. Oak 9 in. diam, bears N. 34 E. 37.5 lks. dist.<br>+ a W. Oak 6 " " " N. 7 $\frac{1}{2}$ E. 332 " " |
| 50.00 | Enter flag Marsh,   |

G. M. Ry M. 2<sup>nd</sup> Mo. Indiana

|       |  |
|-------|--|
| 80.00 | Set post cor. to Secs 25, 26, 35 & 36 in pond from which<br>a W. Oak 15 in. diam. bears N. 10 W. 179 Mo. dist.<br>+ a Do 12 " " " N. 51 W. 186 " "<br>Land thinly timbered with W. P. & Y. & G. Oak wet<br>Sandy Soil 3 <sup>rd</sup> rate,                |
| East  | On Random between Secs 25 & 36   |
| 15.20 | Leave marsh + Enter Pin Oak thicket  |
| 25.25 | Enter Marsh  |
| 80.02 | Intersect East Boundary at post, land marsh 3 <sup>rd</sup> rate   |
| West  | Blaze line back between Secs 25 & 36   |
| 40.01 | Set gr. Sec. post from which<br>an Aspin 12 in. diam. bears N. 4 $\frac{1}{2}$ W. 149 Mo. dist.<br>+ " Do 10 " " " N. 59 W. 116 " "  |
| 80.02 | To Section Corner  |
| North | Between Sections 25 & 26   |
| 1.50  | Leave Marsh  |
| 2.47  | a W. Oak 10 in. diam.  |
| 10.00 | Enter Marsh  |
| 40.00 | Set gr. Sec. post in deep marsh, no bearings   |
| 62.00 | Leave Marsh  |
| 65.66 | a Pin Oak 15 in. diam.   |
| 77.46 | a Pin Oak 12 " Do  |
| 80.00 | Set post cor. to Secs 23, 24, 25 & 26 from which<br>a W. Oak 11 in. diam. bears S. 4 E. 47 Mo. dist.<br>+ a Pin Oak 10 " " " N. 9 W. 44 " "<br>Land after leaving Marsh level + wet, thinly<br>timbered with W. + Pin Oak that growth 3 <sup>rd</sup> rate |
| East  | On Random between Secs 24 & 25   |
| 61.00 | Enter Marsh  |
| 80.45 | Intersect East Boundary 14 Mo. North of post<br>first $\frac{3}{4}$ of this mile, land level + wet, thinly timbered<br>with Pine Oak, W. Oak best 4 <sup>th</sup> rate 20 in. deep 3 <sup>rd</sup> rate Sandy Soil   |

# Y. 31. N. — R. 7 W. 2<sup>nd</sup> Mer, Indiana.

West Corner line between Sec. 24 + 25

- 40.22½ Set gr. Sec. post from which  
           a Pin Oak 6 in. diam, bears N. 51½ E. 40.00 Mo. dist.  
           & a Do 11 " " " S. 46½ W. 53 " "  
 42.25       a Pin Oak 18 in. diam,  
 80.45 To Section Corner,

North Between Sections 23 + 24

- 15.38       a Pin Oak 14 in. diam,  
 21.00 Enter Marsh not deep,  
 40.00 Set gr. Sec. post in Marsh no bearing trees,  
 80.00 Set post cor. to Sec. 13, 14, 23 + 24 from which  
           a W. Oak 14 in. diam, bears N. 89½ E. 159.0 Mo. dist.  
 No other, Land poor & wet 3<sup>rd</sup> rate.

East on Random between Sec. 13 + 24

- 15.50 Enter grove  
 34.25 Leave grove & Enter Marsh  
 79.55 Intersect East Boundary at post, land poor sandy  
 Soil 3<sup>rd</sup> rate. Y. W + P. Oak

West Blaze line back between Sec. 13 + 24

- 39.97½ Set gr. Sec. post from which  
           a W. Oak 20 in. diam, bears S. 87½ W. 625 Mo. dist.  
           No other,  
 45.68       a Y. Oak 20 in. diam,  
 79.95 To Sec. corner

North Between Sections 13 + 14

- 34.00 Leave Marsh & Enter Pin Oak grove  
 40.00 Set gr. Sec. post from which  
           a Pin Oak 24 in. diam, bears N. 80 E. 11 Mo. dist.  
           & a Do 14 " " " N. 70 W. 49 " "  
 61.86       a P. Oak 18 in. diam,  
 80.00 Set post cor. to Sec. 11, 12, 13 + 14 from which  
           a W. Oak 12 in. diam, bears N. 44½ W. 85 Mo. dist.  
           & a P. Oak 15 " " " N. 58½ E. 30 " "

Y. 31 N. R. 7 W. 2nd Mer. Indiana 313

C. D. No. Land thinly timbered, wet poor Sandy Soil  
3rd rate, August 10<sup>th</sup> 1884,

---

East On Random between Sec, 12 & 13

5.75 Enter Marsh, dry,  
80.03 Antiseet East Boundary at post; land wet &  
poor some scattering, pin. Oak trees 3rd rate

---

West Blaze line back between Sec, 12 & 13

40.00 Set gr. Sec. post in marsh from which  
a Pin Oak 12 in. diam, bears N. 43 E. 139, 110, det  
No other near,

80.03 To Section corner,

---

North Between Sec 11 & 12

3.85 a W. Oak 14 in. diam.  
6.22 a Do 12 " Do  
11.00 Enter Marsh, nearly dry;  
40.00 Set gr. Sec. post from which  
a Pin Oak 12 in. diam, bears N. 34 E. 118, 110, det,  
& a Do 6 " " " S. 72 W. 460 " "  
63.50 Enter grove & ascend sand ridge  
67.80 a Y. Oak 28 in. diam,  
80.00 Set post cor. to Sec, 1, 2, 11 & 12 from which  
a Y. Oak 24 in. diam, bears N. 49 E. 115, 110, det,  
& a W. Oak 12 " " " N. E 18 " "  
Land before raising sand ridge same as last  
mile. ridge rolling. Y & W. Oak poor Soil 3rd rate

---

East on Random between Sec, 1 & 12

40.00 Do and from ridge to N. corner of deep pond  
49.50 over Pond & Enter P. Oak flat,  
81.36 Antiseet East Boundary 360th St. of post  
Land 3rd rate,

---

West Correct line between Sec, 1 & 12

Y 31 N. — R. 7 W. 2<sup>nd</sup> Mer. Indiana

91 a Pin Oak 18 in. diam,  
40.68 Set gr. sec. post from which  
a Pin Oak 11 in. diam, bears S. 29 $\frac{1}{2}$  W. 63 $\frac{1}{2}$  lbs. dist.  
+ a Do 18 " " " N. 27 $\frac{1}{2}$  E. 83 " "  
81.36 To Section Corner,

North Between Sections 1 + 2

26 a W. oak 14 in. diam,  
21.71 a W. oak 12 " Do  
40.00 Set gr. sec. post from which  
a W. oak 14 in. diam, bears N. 70 $\frac{1}{2}$  E. 32 lbs. dist.  
+ a Do " " " " N. 23 $\frac{1}{2}$  W. 108 " "  
41.99 a W. oak 12 in. diam,  
61.00 Descend from Sand ridge to marsh. (no water)  
79.14 Intersect North Boundary 66 lbs west of post, where  
Set post cor. to sec. 1 + 2 from which  
a W. oak 14 in. diam, bears S. 85 $\frac{1}{2}$  E. 360 lbs. dist.  
(no other, near  
Land rolling, Soil loose yellow Sand. W + W. oak,  
third rate,

North Between Sections 34 + 35

10.88 a W. oak 18 in. diam,  
17.00 Enter deep marsh  
40.00 Set gr. sec. post in deep water, no bearing trees,  
62.00 Leave marsh & ascend sand ridge  
66.25 a W. oak 22 in. diam,  
67.00 Descend from ridge to Pin Oak & Aspen thicker  
Small growth.  
80.00 Set post cor. to sec. 26, 27, 34 + 35 from which  
a Pin oak 6 in. diam, bears S. 80 $\frac{1}{2}$  W. 23 lbs dist.  
+ a Do 3 " " " N. 43 E. 7 " "  
Land 3<sup>rd</sup> rate,

East En Random between sec. 26 + 35

9.00 Enter marsh, deep Pond



79.96 Intersect East line of Sec. at post, Land pond from  
6 ch. 20 inches deep,

West Blaze line back between Sec. 26 & 35  
39.98 Set gr. Sec. post. no mound no bearings  
79.96 To Section Corner,

North Between Sections 26 & 27  
20.27 n Pin Oak 11 in. diam,  
25.50 Low grove & Enter Marsh., dry,  
40.00 Set gr. Sec. post in water no mound no bearings  
80.00 Set post cor. to Sec. 22, 23, 26 & 27 from which  
n Pin Oak 9 in. diam. bears S. 46 N. 333 lks. dis.<sup>t</sup>  
+ n Do 12 " " " N. 66 E. 732 " "  
Land wet + 3rd rate, scattering Pin Oak, Aug. 11, 1834

East On Random between Sec. 23 & 26  
79.88 Intersect East line of Sec. at post, land, level wet scatter-  
ing timber Pin Oak, some W. Oak, no W. H. Vegetation,  
Sedge, grass &c. common to wet prairie, Soil sandy &  
Poor, 3rd rate,

West Blaze line back between Sec. 23 & 26  
39.94 Set Gr. Sec. post in wet prairie from which  
n Pin Oak 6 in. diam. bears N. 62 1/4 E. 296 lks. dis.<sup>t</sup>  
no other near,  
62.55 n W. Oak 12 in. diam,  
79.88 To Section Corner,

North Between Sections 22 & 23  
40.00 Set Gr. Sec. post in Marsh from which  
n Pin Oak 12 in. diam. bears N. 23 W. 275 lks. dis.<sup>t</sup>  
no other near,  
46.00 Low Marsh & ascend Sand ridge  
47.97 n Y. Oak 18 in. diam,  
56.00 Low Sand ridge

T. 31. N. — R. 1 W. 2<sup>nd</sup> Mer. Indiana

|       |  |
|-------|--|
| 80.00 | Set post cor. to Secs 14, 15, 22 + 23 in water 10 in. deep<br>to Pin Oak 16 in. diam. bears N. $1\frac{1}{2}$ W. 1678 lks. dist.<br>+ a Do 10 " " " N. $1\frac{1}{2}$ E. 1675 " "<br>Land poor wet + 3 <sup>rd</sup> rate. |
| East  | On Random between Secs 14 + 23   |
| 80.02 | Intersect East line of Sec 10 lks. North of post<br>Land all marsh. Mostly deep water.   |
| West  | Correct line between Secs 14 + 23  |
| 40.01 | Set Dr. Sec. post in water. no bearing trees   |
| 80.02 | To Section Corner,   |
| North | Between Sections 14 + 15   |
| 15.00 | Leave Pond + Enter Pin oak grove   |
| 36.00 | Enter deep marsh   |
| 40.00 | Set Dr. Sec. post in water 6 in. deep from which<br>to W. Oak 11 in. diam. bears S. $27\frac{1}{2}$ W. 456 lks. dist.<br>+ a P. Oak 10 " " " S. $10\frac{1}{2}$ W. 411 " "   |
| 50.00 | Set post cor. to Secs 10, 11, 14 + 15 in water from which<br>to P. Oak 14 in. diam. bears N. $32\frac{1}{2}$ W. 771 lks. dist.<br>+ a W. Oak 12 " " " N. $88\frac{1}{2}$ E. 1588 " "<br>Land Marsh 3 <sup>rd</sup> rate.   |
| East  | On Random between Secs 11 + 14   |
| 15.50 | Leave Marsh + Enter Scattering Timber  |
| 80.86 | Intersect East line of 30 lks. North of post. Land<br>level poor wet Sandy Soil. thinly timbered with<br>Pin + W. Oak. 3 <sup>rd</sup> rate.   |
| West  | Correct line between Secs 11 + 14  |
| 40.43 | Set Dr. Sec. post from which<br>to Pin Oak 15 in. diam. bears S. $81\frac{1}{2}$ E. 72 lks. dist.<br>+ a Do 11 " " " S. $7\frac{1}{2}$ E. 59 " "   |
| 80.86 | To Section Corner,   |

North Between Sections 10 & 11

30.00 Leave Marsh

40.00 Set Dr. Sec. post from which

    a W. oak 15 in. diam, bears N. 46 W. 116 Mo. dist.

    + a P. oak 6 " " " S. 52 W. 112 " "

42.68 a Y. oak 22 in. diam, + ascend ridge

46.92 a Y. oak 20 " "

65.25 a Y. oak 14 in. diam

80.00 Set post cor. to Sec. 2, 3, 10 & 11 from which

    a Y. oak 22 in. diam, bears N. 84 E. 29 Mo. dist.

    + a Do 18 " " " N. 64 W. 70 " "

    Land after leaving marsh. Y. & W. oak. Soil loose & sand

East on Random between Sec. 2 & 11

80.56 Intersect East line of Sec. 19 Mo. North of post

    Land rolling sandy soil, scattering timber Y. oak

    Some W. oak no undergrowth?

West Corner line between Sec. 2 & 11

40.28 Set Dr. Sec. post from which

    a Y. oak 11 in. diam, bears S. 4 W. 139 Mo. dist.

    + a Do 11 " " " N. 5 E. 76 " "

80.56 Section corner,

North Between Sections 2 & 3.

10.44 a Y. oak 18 in. diam,

32.25 Enter Marsh, (dry)

40.00 Set Dr. Sec. post from which

    a P. oak 20 in. diam, bears S. 3 W. 94.5 Mo. dist.

    No other trees

75.52 Intersect North Boundary 124 Mo West of post

    No bearing trees near, Laid before entering

    marsh, same as last mile, Aug. 12, 1884,

North Between Sections 33 & 34

27.88 a Y. oak 18 in. diam,

Y 31 N. — R. 7 W. 2<sup>nd</sup> Mer. Indiana

40.00 Set Dr. Sec. post from which  
 no Pin Oak 12 in. diam. bears N. 64 W. 90 Mo. dist.  
 + no Do 4 " " " " S. 69 $\frac{1}{2}$  E. 89 " "  
 45.64 no Pin Oak 26 in. diam.  
 54.75 no Do ~ 24 " Do  
 74.50 Enter Pond water 16 in. deep  
 80.00 Set post cor. to Sec. 27, 28, 33 & 34 in Pond, from which  
 an Aspin 10 in. diam. bears N. 87 E. 217 Mo. dist.  
 + no Pin Oak 14 " " " " S. 88 E. 2760 " "  
 Land level poor + wet, Pin Oak, W. Oak 16 ft, Pin  
 Oak 30<sup>th</sup> rate,

East On Random between Sec. 27 + 34

8.75 Leave Pond  
 79.74 Intersect East line of Sec. at post, land level  
 + wet poor Sandy Soil, 30<sup>th</sup> rate, Some scattering  
 Timber Pin Oak some W. Oak

West Blaze line Back between Sec. 27 + 34

39.87 Set Dr. Sec. post from which  
 no Pin Oak 12 in. diam. bears N. 45 E. 315 Mo. dist.  
 No other near,  
 79.94 Section corner,

North Between Sections 27 + 28

40.00 Set Dr. Sec. post in pond water 6 in. deep no  
 mound nor bearings  
 67.50 Leave Pond  
 80.00 Set post cor. to Sec. 21, 22, 27 + 28 from which  
 no Pin Oak 10 in. diam. bears S. 67 E. 4 $\frac{1}{2}$  Mo. dist.  
 + no Do 16 " " " " N. 22 W. 18 " "  
 Land, Pond, water from 6 to 18 inches deep

East On Random between Sec. 22 + 27

5.56 Enter Pond  
 40.00 To Small Island of Aspin + Willow

42.00 Across the Island  
 79.98 Intersect East line of Sec. 5 Mo. South of post, land  
 nearly all pond from 3 to 18 inches deep

West Correct line between Sec. 22 + 27  
 39.99 Set Dr. Sec. post from which  
     an Aspin 11 in. diam, bears N. 3 1/2 W. 67 Mo. dist  
     & a Do 12 " " " N. 51 E. 62 " "  
 79.98 To Section Corner,

North Between Sections 21 + 22  
 19.57 a Pin Oak 10 in. diam,  
 20.50 Enter Marsh.  
 40.00 Set Dr. Sec. post in Marsh, no bearing trees,  
 80.00 Set post cor. to Sec. 15, 16, 21 + 22, in Marsh, from wh,  
     a Pin Oak 12 in. diam, bears N. 32 E. 326 Mo. dist,  
     No other near. Land Marsh & Pond a few  
     Scattering Pin Oak & Aspin, 30, 40 etc,

East on Random between Sec. 15 + 22  
 12.00 Leave Marsh & cross narrow ridge  
 17.50 Enter deep Marsh,  
 80.00 Intersect East line of Sec. 10 Mo North of post  
 Land Marsh or Pond (water)

West Correct line between Sec. 15 + 22  
 40.00 Set Dr. Sec. post no bearing trees,  
 80.00 Section Corner,

North Between Sections 15 + 16  
 40.00 Set Dr. Sec. post in Marsh, no bearing trees,  
 80.00 Set post in water cor. to Sec. 9, 10, 15 + 16 from which  
     a Pin Oak 14 in. diam, bears S. 88 E. 1410 Mo. dist,  
     & a W. Oak 18 " " " North 10 41 " "  
 Land Marsh, August 13, 1834,



*Y. 31 N. — R. 7 W. 2<sup>nd</sup> Mer. Indiana*

East On Random between Sec, 10 + 15  
 40.00 Leave Marsh + cross narrow Sand ridge  
 46.00 Over ridge + enter marsh  
 79.26 Intersect East line of Sec, 12 Mo. South of post.  
 Land marsh. Some scattering Pin oak. 3<sup>rd</sup> rate

West Corner line between Sec, 10 + 15  
 39.63 Set Dr. Sec. post from which  
 to W. oak 10 in. diam. bear N. 39 E. 65 Mo. dist.  
 + to Do 13 " " " N. 5 W. 75 " "  
 79.26 Section Corner,

North Between Sections 9 + 10  
 9.50 Leave Marsh + rise a ridge  
 10.41 to W. oak 18 in diam.  
 40.00 Set Dr. Sec. post from which  
 to W. oak 11 in. diam. bear N. 86 E. 40 Mo. dist.  
 + to W. oak 22 " " " N. 53 W. 27 " "  
 49.00 to W. oak 15 in. diam.  
 65.42 to W. oak 20 " Do  
 80.00 Set post cor. to Sec, 3, 4, 9 + 10 from which  
 to W. oak 36 in. diam. bear N. 49 E. 98 Mo. dist.  
 + to W. oak " N. 43 E. 134 " "  
 Land rolling, to W. oak. poor Sandy Soil, 3<sup>rd</sup> rate

East On Random between Sec, 3 + 10  
 48.50 Leave Marsh + ascend ridge  
 79.50 Intersect East line of Sec, at post. Land in  
 Marsh water impregnated with oxide of Iron  
 Same as last mile

West Blaze line back between Sec, 3 + 10  
 25.42 to W. oak 20 in. diam.  
 39.75 Set Dr. Sec. post in Marsh from which  
 to W. oak 20 in. diam. bear N. 86 E. 74 Mo. dist.  
 No other near,

79.50 Section corner,

---

North Between Sections 32 & 4  
 40.00 Set Dr. Sec. post in marsh, no bearing trees  
 62.00 Leave marsh & cross narrow ridge. this marsh  
 is imbedded with Iron ore about 12 inches below  
 the surface apparently very extensive  
 65.00 Enter narrow marsh  
 78.74 Intersect North Boundary 240.00 Mo West of post  
 when Set post cor. to Sec. 3 & 4 from which  
 to W. Oak 12 in. diam. bears S. 46 $\frac{1}{2}$  W. 948.00 Mo. dist.  
 & to Do 15 " " " S. 4 $\frac{3}{4}$  E. 871 " "  
 Land mostly marsh dry at present

---

North Between Sections 32 & 33  
 40.00 Set Dr. Sec. post in deep water no bearing trees,  
 80.00 Set post cor. to Sec. 28, 29, 32 & 33 in water  
 10 inches deep, no bearing trees, Land all  
 covered with water from 6 to 30 in. deep

---

East On Random between Sec. 28 & 33  
 57.00 Leave deep pond & enter Pin Oak grove  
 76.75 Enter pond  
 80.01 Intersect East line of Sec. at post, after leaving  
 marsh, dry rolling sandy soil, G. & P. oak

---

West. Blaze line back between Sec. 28 & 33  
 6.89 to W. Oak 12 in. diam.  
 21.67 to G. Oak 11 " Do  
 40.00 Set Dr. Sec. post from which  
 to Pin Oak 10 in. diam. bears N. 1 W. 239.00 Mo. dist.  
 & to Do 3 " " " S. 66 E. 55 " "  
 80.01 Section corner,

---

North Between Sections 28 & 29  
 40.00 Set Dr. Sec. post in pond water 12 inches deep

Y 31. N — R 7 W 2<sup>nd</sup> Mer, Indiana

|       |   |
|-------|---|
| 65.00 | Leave pond, dry marsh,  |
| 80.00 | Set post cor. to Secs, 20, 21, 28 & 29 from which<br>to Pin Oak 14 in. diam, bears N. 13 E. 333 lks. dist.<br>to Do 11 " " " N. 54 E. 200 " "<br>Land Deep pond and marsh 3 <sup>rd</sup> rate,                                   |
| East  | On Random between Secs, 21 & 28   |
| 26.50 | Leave marsh & rise ridge  |
| 35.00 | Descend from ridge to marsh   |
| 79.58 | Intersect East line of Secs, 12 lks. North of post<br>Land mostly marsh 3 <sup>rd</sup> rate,   |
| West  | Correct line between Secs, 21 & 28  |
| 39.79 | Set gr. Sec. post in marsh from which<br>to Pin Oak 15 in. diam, bears S. 44 E. 330 lks. dist.<br>No other near,  |
| 79.58 | Section corner,   |
| North | Between Sections 20 & 21  |
| 22.50 | Rise sand ridge corner N. E. & S. E.  |
| 25.86 | to Y. Oak 16 in. diam,  |
| 40.00 | Set gr. Sec. post from which<br>to Pin Oak 11 in. diam, bears N. 27 W. 61 lks. dist.<br>to W. Oak 7 " " " N. 36 E. 88 " "   |
| 43.00 | Enter Marsh   |
| 80.00 | Set post cor. to Secs, 16, 17, 20 & 21 from which<br>to W. Oak 15 in. diam, bears N. 75 E. 1450 lks. dist.<br>to P. Oak 12 " " " N. 1/2 E. 2175 " "<br>Land wet & marshy some scattering pin oaks.<br>Small growth, Aug. 14, 1834 |
| East  | On Random between Secs, 16 & 21   |
| 80.31 | Intersect East line of Secs, 13 lks. North of post<br>Land level mostly marsh, some scattering pin<br>oak, no W. O. but little water,   |

West Corner line between Sec. 16 + 21  
 40.15 $\frac{1}{2}$  Set Dr. Sec. post in marsh from which  
     to Pin oak 14 in. diam. bears S. 67 $\frac{1}{2}$  W. 516 $\frac{1}{2}$  lks. dist.  
     + to Do 6 " " " S. 51 $\frac{1}{2}$  W. 355 " "  
 80.31 Section Corner,

North Between Sections 16 + 17  
 21.50 Enter narrow Pin oak grove corner E + W  
 24.00 Leave grove + Enter Aspen + Willow Marsh small growth  
 40.00 Set gr. Sec. post in Edge of flag pond water 8 in.  
     deep, no bearing trees  
 80.00 Set post cor. to Sec. 8, 9, 16 + 17 from which  
     to Pin oak 20 in. diam. bears North 167 lks. dist.  
     + to Do 12 " " " S. 67 $\frac{1}{2}$  E. 669 " "  
     Land level wet scattering pin oak some W. oak  
     third rate,

East On Random between Sec. 9 + 16  
 80.04 Intersect East line of Sec. at post. Land  
     same as last mile

West Blaze line back between Sec. 9 + 16  
 40.02 Set gr. Sec. post from which  
     to W. oak 4 in. diam. bears S. 13 $\frac{1}{2}$  W. 179 lks. dist.  
     + to P. oak 12 " " " N. 79 $\frac{1}{2}$  W. 102 " "  
 80.04 Section Corner,

North Between Sections 8 + 9  
 12.50 Enter grove + raise sand ridge  
 17.77 to W. oak 22 in. diam.  
 28.15 to Y. oak 12 " Do  
 40.00 Set Dr. Sec. post + descend to a W + P. oak flat place  
     to Pin oak 16 in. diam. bears N. 18 $\frac{1}{2}$  W. 6 lks. dist.  
     + to Do 20 " " " S. 80 E. 36 " "  
 44.59 to W. oak 12 in. diam.  
 80.00 Set post cor. to Sec. 4, 5, 8 + 9 from which

G. 31 N. — R. 7 W. 2<sup>nd</sup> Mer. Ind. @

6. Lk.,      W. oak 14 in. diam, bears N. 40 $\frac{1}{2}$  E. 314 lks. dist.  
 & W. Do 20 " " " N. 7 W. 372 " "  
 Land thinly timbered with Y. & W. oak. Short  
 growth, 3 $\frac{1}{2}$  rate

East      on Random between Secs, 4 & 9  
 51.06      Intersect East line of Sec, 13 lks North of post  
 Land same as last mile

West      Corner line between Secs, 4 & 9  
 40.53      Set gr. Sec. post from which  
             W. oak 11 in. diam, bears N. 43 $\frac{1}{2}$  W. 37 lks. dist.  
             & W. Do 14 " " " S. 65 W. 22 " "  
 81.06      Section corner,

North      Between Sections 4 & 5  
 38.60      W. oak 18 in. diam,  
 40.00      Set Dr. Sec. post from which  
             W. Red oak 20 in. diam, bears S. 45 $\frac{1}{2}$  W. 82 lks. dist.  
             & W. Pin Oak 16 " " " N. 38 $\frac{1}{2}$  W. 42 " "  
 69.44      W. oak 11 in. diam,  
 78.36      Intersect North Boundary 250 lks West of post  
             where set post cor. to Secs, 4 & 5 from which  
             W. Pin Oak 30 in. diam, bears S. 57 E. 525 lks. dist.  
             & W. Do 30 " " " S. 4 W. 776 " "  
             Land part rolling, part level, W. P. & Y. oak  
             poor Sandy Soil, 3 $\frac{1}{2}$  rate,

North      Between Sections 31 & 32  
 14.76      W. Oak 12 in. diam,  
 20.00      Descend ridge & Enter deep Marsh  
 40.00      Set gr. Sec. post in deep water, no bearing trees  
 80.00      Set post cor. to Secs, 29, 30, 31 & 32 in deep  
             water, from which  
             W. Oak 11 in. diam, bears N. 89 W. 1086 lks. dist.  
             No other near,



Y. 31 N. — R. 7 W. 2<sup>nd</sup> Mer. Indiana

C. 210, Land after leaving ridge, deep water, ridge 1/2  
Oak some Y. Oak, poor sandy soil, 3<sup>rd</sup> rate

East on Random between Sec. 29 & 30  
79.98 Intersect East line of Sec. 14 Mo. North of post  
Land deep marsh & pond.

West Correct line between Sec. 29 & 30  
39.99 Set gr. Sec. post in marsh, water not deep no bearing  
79.98 Section corner, August, 15, 1834

West on Random between Sec. 30 & 31  
10.00 Ascend sand ridge  
56.50 Enter marsh (dry)  
79.48 Intersect West Boundary 12 Mo. North of post  
Land part rolling, part poor wet sandy soil.  
third rate,

East Correct line between Sec. 30 & 31  
39.48 Set gr. Sec. post from which  
    @ Y. Oak 30 in. diam. bears S. 89 $\frac{1}{2}$  W. 168 Mo. dist.  
    & @ Do 10 " " " S. 48 W. 133 " "  
65.24 @ Y. Oak 15 in. diam.  
79.48 Section corner,

North Between Sections 29 & 30  
40.00 Set gr. Sec. post in deep water, no bearing trees  
54.50 Leave Pond & cross narrow sand ridge  
56.00 Leave ridge & enter wet prairie  
80.00 Set post cor. to Sec. 19, 20, 29 & 30 from which  
    @ Pin Oak 14 in. diam. bears N. 45 $\frac{1}{2}$  E. 6.37 Mo. dist.  
    & @ Do 6 " " " N. 66 E. 4.17 " "  
Land marsh & sand ridge wet prairie &c  
Soil 3<sup>rd</sup> rate

East on Random between Sec. 20 & 29

<sup>map</sup>  
S. 31 N. R. 7 W. 2<sup>nd</sup> New. Ind. a

5.00 Enter dry marsh  
79.65 Intersect E. line of sec. at post  
Land marsh nearly dry surface, generally  
covered with Oxide of iron.

---

West Correct line between sec. 20 & 29  
39.82 $\frac{1}{2}$  Set q<sup>r</sup>. sec. post in marsh, no bearings  
79.65 To sec. corner.

---

West On Random between sec. 19 & 30  
15.00 Enter marsh not deep  
79.23 Intersect W. boundary at post,  
Land same as on last mile,

---

East Correct line between sec. 19 & 30  
39.23 Set q<sup>r</sup>. sec. post in marsh, no bearings  
79.23 To sec. corner,

---

North Between sections 19 & 20  
14.23 w Pin Oak 18 in. diam.  
40.00 Set q<sup>r</sup>. sec. post from which  
a Pin Oak 9 in. diam. bears N 20 $\frac{1}{2}$  E 150 lbs. dist,  
4 a Do. 12 " " " N 57 E 84 " "  
80.00 Set post cor. sec. 17, 18, 19 & 20 fr. which  
a P. Oak 12 in. diam. bears S 84 E 18 lbs. dist,  
4 a Do. 10 " " " S 83 W 91 " "  
Land level very wet & 3. cate some scatter-  
ing Pin Oak timber.

---

East On Random between sec. 17 & 20  
80.08 Intersect E. line of sec. at post  
Land level wet & some small islands  
of aspen on right & left of line.

---

West Correct line between sec. 17 & 20  
40.04 Set q<sup>r</sup>. sec. post in water no bearings

80.08 To sec. corner,

---

West On Random between sec. 18 & 19  
 78.73 Intersect W. boundary 12<sup>th</sup> N. of post  
 Land level & mostly covered with water  
 Poor & sandy soil.

---

East Correct line between sec. 18 & 19  
 38.73 Set gp. sec. post in deep water,  
 No bearing trees,  
 78.73 To sec. corner,

---

North Between sections 17 & 18  
 3.00 Enter a deep pond  
 18.50 Leave pond 2 ft. of water in Do.  
 40.00 Set gp. sec. post from which  
     a W. Oak 10 in. dia. bears S 54<sup>3</sup>/<sub>4</sub> E 100<sup>th</sup> N. dist,  
     & a Do. 8 " " " S 38<sup>1</sup>/<sub>2</sub> W 82 " "  
 72.18 a W. Oak 18 " "  
 73.00 Raise sandy ridge  
 80.00 Set post cor. sec. 17, 18, 19 & 18 from which  
     a Y. Oak 22 in. dia. bears S 67 W. 95<sup>th</sup> N. dist,  
     & a Do. 20 " " " N 50 E 99 " "  
 Land poor sandy soil 3<sup>rd</sup> rate. Aug. 16.

---

East On Random between sec. 8 & 17  
 40.00 Leave ridge to Pin Oak flat. no W. G.  
 61.25 Enter a dry marsh  
 79.27 Intersect E. line of sec. 15<sup>th</sup> N. S. of post  
 Land 3<sup>rd</sup> rate poor sandy soil on Ridge  
 Y. Oak & no und. Gt.

---

West Correct line between sec. 8 & 17  
 39.63<sup>1</sup>/<sub>2</sub> Set gp. sec. post from which  
     a W. Oak 11 in. dia. bears S 13 W 13<sup>th</sup> N. dist  
     & a Y. Oak 22 " " " N 43 W 65 " "

Inf. 31 N. R. 7 W. 2<sup>nd</sup> Mer. Ind. a

43.95 a Y. Oak 18 in. diam,  
79.27 To sec. corner,

West On Random between sections 7 & 8,  
79.36 Intersect W. boundary 14 Mi. N. of post  
Land rolling Y. Oak W. Oak & some Pin Oak  
Mud. lth. Jack Oak poor sandy soil 3<sup>rd</sup> rate.

East Correct line between sec. 7 & 8  
38.36 a Y. Oak 22 in. diam.  
39.36 Set q<sup>r</sup>. sec. post from which  
a Y. Oak 24 in. dia. bears N 37 $\frac{1}{2}$  W 61 Ch. dist  
& a W. Oak 20 " " " S 30 E 55 " "  
42.35 a Y. Oak 18 " "  
79.36 To sec. corner,

North Between sections 7 & 8,  
40.00 Set q<sup>r</sup>. Sec. post from which  
a W. Oak 18 in. dia. bears N 54 $\frac{1}{2}$  E 354 Ch. dist,  
& a Do. 22 " " " N 3 W 386 " "  
49.50 Enter narrow marsh course E. & W. (dry)  
80.00 Set post cor. sec. 5, 6, 7 & 8 in marsh  
a W. Oak 15 in. dia. bears N 62 W 506 Ch. dist,  
& a Y. Oak 12 " " " N 2 E 609 " "  
Land before entering marsh thinly timbered,  
with Y. Oak & W. Oak, h. g. same as last  
Marsh - surface covered with oxide of iron

East On Random between sec. 5 & 8,  
79.78 Intersect E. line of sec. at post  
Land all marsh, surface thickly coated  
with oxide of iron.

West Correct line between sec. 5 & 8,  
39.89 Set q<sup>r</sup>. sec. post in water, no bearings  
79.78 To Sec. corner;

<sup>W. 1/2</sup> T. 31 N. R. 7 W. 2<sup>nd</sup> Mer. Ind.;

West On Random between Sec. 6 & 7  
 7.50 Leave marsh & cross narrow ridge  
 15.00 Enter marsh  
 49.00 Enter deep pond  
 74.00 Leave pond & Enter grove  
 79.30 Intersect W. boundary at post  
 Land mostly marsh & 3<sup>d</sup> rate.

East Correct line between Sec. 6 & 7.  
 39.30 Set of Sec. post from which  
 a Y. Oak 21 in. dia. bears S 86 W 302 lks. dist.  
 & no other tree convenient.  
 79.30 To Sec. Corner,

North Between Sections 5 & 6  
 5.75 Leave marsh & cross sand ridge  
 22.33 a Y. Oak 18 in. diam.  
 26.00 Enter a marsh  
 40.00 Set of Sec. post in marsh fr. which  
 a Y. Oak 18 in. dia. bears N 1 E W 654 lks. dist.  
 & a W. Oak 18 " " " N 2 E 675 " "  
 46.00 Leave marsh & cross ridge  
 63.73 a Y. Oak 22 in. diam.  
 79.79 Intersect N. boundary 275 lks. N. of post  
 & set post cor. sections 5 & 6, from which  
 a W. Oak 14 in. dia. bears S 42 W 14 lks. dist.  
 & a Do. 11 " " " S 9 E 57 1/2 " "  
 Land part rolling, part marsh 3<sup>d</sup> rate  
 Y. Oak & no N. Y. - Augt. 16<sup>th</sup> 1834.

General Description.

This Township is of little value except it may be on account of the iron ore, which is very abundant; particularly in the Northern part of the township.

The soil is incapable of producing any



wp 31 N. R. 7 W. 2<sup>nd</sup> Mer. Ind. 4

kind of grain, being an entire sand heap. There are some ridges which are sparsely timbered, with scrubby W. & Bl. Oak though the surface of the ground is loose yellow sand & entirely bare of vegetation. The face of the country however in the wet season, is generally covered with water.

The driest part of the wet land is covered with grapes of the various kinds indigenous to wet prairies, of short growth, & sparsely timbered with Pin Oak, aspen & some Willow.

What is remarkable, there is not a creek nor even a brook of running water in this & several of the adjoining Townships  
Uriah Biggs. Dep. Sur.

I hereby certify that in pursuance of a contract with Mr. T. Williams, Surveyor General of the U. States for the states of Ohio, Indiana & Michigan Territory, dated 3<sup>rd</sup> of May 1834, and in strict conformity to the laws of the United States & the instructions of said Surveyor General I have surveyed & subdivided into sections Township 31 North Range 7 West 2<sup>nd</sup> Mer. in the state of Indiana. And I do further certify that the foregoing are the true & original field-notes of said survey & subdivision, executed as aforesaid.

Certified this 16<sup>th</sup> day of Aug. 1834.

Uriah Biggs. Dep. Sur.

Thos. C. McPherson  
James Johnson Chainman.  
Elias Parker Marker.

331

*Secy*  
T. 31 N. R. 7 W. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

I certify that the foregoing transcript  
of field notes of Township 31 N. Range  
7 West of 2<sup>nd</sup> principal Meridian in the  
State of Indiana, has been compared  
with the original on file in this office and  
found to be correct.

William Johnston  
Sur. Genl.

Surveyor General's office  
Cincinnati Dec. 30<sup>th</sup> 1842.